

## General Description:

WOOD STAINS are a blend of concentrated dyestuff and universal stainers dispersed in suitable binder and solvents to emphasize their colouristic effect. Wood stains are ready to use materials and comes to many different colours to choose from, they are fully transparent and display the details of woods.

## Major Uses:

WOOD STAINS are used most exclusively to all types of wood, plywood & specially for veneers.

## Characteristics and Physical Properties:

Appearance	Colored Liquid
Specific Weight	0.90 kg /li
Flash Point	20 <sup>0</sup> C
Coverage/coat	10 – 12 m <sup>2</sup> depending on the colour strength required
Storage life	Unlimited in cool room
Application	By brush, roller, spray, dipping, manual.

**\*Note:** For different colours shade, refer to our colour catalogues and panels.

## Dilution:

Wood stains are incompatible with some solvents therefore use our recommended solvents. Each wood stains are ready for use, and can be mix to others to obtained a different shades of colours.

## Method of Application:

Prepare well the wood to be stained, apply wood stains by spraying, dipping, brushing and by scrubbing with cotton waste. Let it dry for 1 – 2 hrs. and proceed to the next stage.

## Drying Time:

Veneer and solid woods dries in half an hour depending on the temperature condition.

## Storage:

Keep material in a cool place below 25<sup>0</sup>C. Keep the container tightly closed.

## Physiological Hazards:

WOOD STAINS contain solvents. Keep away from open flames. Ensure proper ventilation on working areas, wear gloves and safety clothing while application. When contact with eyes, splash with fresh water and seek immediate medical advice.